

	Document ID	Issue Date	Page s	Title	Current OR	Current XRef
1	US 20030043949 A1	20030306	3353	Radio frequency data communications device	375/374	
2	US 6850583 B1	20050201	20	Clock generation apparatus	375/376	327/158; 375/355
3	US 6792063 B1	20040914	35	Frequency control/phase synchronizing circuit	375/375	327/159; 327/160; 370/516; 375/376
4	US 6618459 B1	20030909	24	Radio communication device and method of bit synchronization pull-in in the same	375/376	375/371; 375/373
5	US 6542039 B1	20030401	30	Phase-locked loop apparatus and method	331/11	331/1A; 360/51; 375/376
6	US 6466634 B1	20021015	58	Radio frequency data communications device	375/374	340/10.1
7	US 6389548 B1	20020514	13	Pulse run-length measurement for HF data signal by dividing accumulated phase difference between first and second zero- crossings by single-cycle range using multiple cycle range sawtooth waveform	713/500	327/131; 327/26; 327/31; 327/33; 327/45; 327/78; 327/79; 332/109; 375/238; 375/239; 375/327; 375/340; 375/353; 375/355; 375/376; 702/189; 702/57; 702/59; 713/502

	<b>Inventor</b>
<b>1</b>	O'Toole, James E. et al.
<b>2</b>	Matsumura; Toshihiro et al.
<b>3</b>	Ogura; Youichi
<b>4</b>	Tada; Ken-Ichi
<b>5</b>	Ogura; Youichi
<b>6</b>	O'Toole; James E. et al.
<b>7</b>	Bowles; Liam

	Document ID	Issue Date	Page s	Title	Current OR	Current XRef
8	US 6347128 B1	20020212	16	Self-aligned clock recovery circuit with proportional phase detector	375/376	331/11; 331/12; 375/371; 375/373; 713/400; 713/500
9	US 6320921 B1	20011120	15	Fast acquisition clock recovery using a directional frequency-phase detector	375/376	327/148; 375/375
10	US 6078634 A	20000620	12	Phase-locked loop circuit with a multi-cycle phase detector and multi-current charge pump	375/376	331/1A; 331/10; 331/11; 455/260
11	US 5943381 A	19990824	17	Multiple input frequency locked loop	375/376	455/260
12	US 5778032 A	19980707	25	Data reproducing method and data reproducing unit	375/355	375/376
13	US 5751777 A	19980512	16	Multiple input frequency locked loop	375/376	455/260
14	US 5696793 A	19971209	23	Phase difference detection circuit for extended partial-response class-4 signaling system	375/294	360/51; 375/290; 375/375
15	US 5617374 A	19970401	21	Signal detection device and clock recovery device using the same	368/10	327/147; 327/48; 368/113; 375/327; 375/375
16	US 5572558 A	19961105	22	PID loop filter for timing recovery in a sampled amplitude read channel	375/376	375/350; 375/355; 700/42; 708/300
17	US 5537442 A	19960716	35	Instantaneous phase detecting circuit and clock recovery signal generating circuit incorporated in differential demodulator	375/330	375/371; 375/373; 375/375; 375/376

	<b>Inventor</b>
<b>8</b>	Ransijn; Johannes Gerardus
<b>9</b>	Gu; Richard X.
<b>10</b>	Bosshart; Patrick W.
<b>11</b>	Zampetti; George Phillip
<b>12</b>	Tanaka; Koichiro et al.
<b>13</b>	Zampetti; George
<b>14</b>	Hashimura; Yoshihiro
<b>15</b>	Ohmi; Shinichiro et al.
<b>16</b>	Beherns; Richard T.
<b>17</b>	Nakamura; Seizo et al.

	Document ID	Issue Date	Page s	Title	Current OR	Current XRef
18	US 5485484 A	19960116	7	Digitally implemented phase and lock indicators for a bit synchronizer	375/376	327/43; 327/5; 331/15; 331/25; 331/4; 331/DIG. 2; 375/327; 375/328; 375/371
19	US 5414741 A	19950509	25	Low phase noise oscillator frequency control apparatus and method	375/376	331/18
20	US 5400364 A	19950321	41	Decision-directed digital phase locked loop	375/327	375/376
21	US 5237590 A	19930817	13	Timing extraction circuit and communication system utilizing the same	375/293	370/503; 375/374; 714/707
22	US 5123030 A	19920616	34	Timing extraction method and communication system	375/294	370/514; 375/359; 375/376
23	US 4906941 A	19900306	23	Digital phase locked loop circuit	327/159	375/376
24	US 4813005 A	19890314	6	Device for synchronizing the output pulses of a circuit with an input clock	702/117	331/1R; 331/25; 375/376
25	US 4585989 A	19860429	5	50% point of amplitude and phase detector	324/76.8 2	324/76.47 ; 324/76.55 ; 324/76.79 ; 327/73; 348/537; 375/376; 568/433

	<b>Inventor</b>
<b>18</b>	Williams; Bruce H. et al.
<b>19</b>	Johnson; Kent K.
<b>20</b>	Yada; Hiroaki
<b>21</b>	Kazawa; Tohru et al.
<b>22</b>	Kazawa; Tohru et al.
<b>23</b>	Kato; Masaaki et al.
<b>24</b>	Redig; Michael J. et al.
<b>25</b>	Matney; Earl G.

	Document ID	Issue Date	Page s	Title	Current OR	Current XRef
26	US 4361890 A	19821130	11	Synchronizing system	375/142	370/350; 370/516; 375/146; 375/150; 375/373; 375/376; 380/34
27	US 4215239 A	19800729	7	Apparatus for the acquisition of a carrier frequency and symbol timing lock	375/365	370/514; 370/516; 375/373; 375/376
28	US 3878334 A	19750415	19	Data synchronizing systems	375/375	329/325; 375/376
29	US 3674934 A	19720704	11	MINIMUM SHIFT KEYED (MSK) PHASE MEASUREMENT DEVICE	375/336	375/375

	<b>Inventor</b>
<b>26</b>	Green, Jr.; James H. et al.
<b>27</b>	Gordy; Robert S. et al.
<b>28</b>	Halpern; Peter H.
<b>29</b>	Gooding; Otis E. et al.